



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Geoff Klein  
TDEC-DWS  
200 East Race St  
Knoxville, TN 37763

**Lab ID:** N00004130  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
Analytical Supervisor

Lab-Sample Number: N00004130001  
Project Name:  
Sample Description: KINGSTON WTP  
Sampler Project Name: RAW  
Project Site No.:  
Station No.:  
Date/Time Collected: 02/09/2009 10:45  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 02/09/2009 13:50  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	63	mg/L	3.8	10	S Burchfield	2/9/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	63	mg/L	0.7	1	P Leathers	2/10/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

**Lab-Sample Number:** N00004130002  
**Project Name:**  
**Sample Description:** KINGSTON WTP  
**Sampler Project Name:** FINISH  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 02/09/2009 10:50  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 02/09/2009 13:50  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total			METHOD: EPA 310.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	61	mg/L	3.8	10	S Burchfield	2/9/2009

TEST: Hardness, Calcium			METHOD: SM 3500-Ca D			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	62	mg/L	0.7	1	P Leathers	2/10/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

Lab-Sample Number: N00004130003  
Project Name:  
Sample Description: ROCKWOOD WTP  
Sampler Project Name: FINISH  
Project Site No.:  
Station No.:  
Date/Time Collected: 02/09/2009 11:30  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 02/09/2009 13:50  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	72	mg/L	3.8	10	S Burchfield	2/9/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	69	mg/L	0.7	1	P Leathers	2/10/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

Lab-Sample Number: N00004130004  
Project Name:  
Sample Description: ROCKWOOD WTP  
Sampler Project Name: RAW  
Project Site No.:  
Station No.:  
Date/Time Collected: 02/09/2009 11:35  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 02/09/2009 13:50  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	79	mg/L	3.8	10	S Burchfield	2/9/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	66	mg/L	0.7	1	P Leathers	2/10/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Geoff Klein  
TDEC-DWS  
200 East Race St  
Knoxville, TN 37763

**Lab ID:** N00004130  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
Analytical Supervisor

Lab-Sample Number: N00004130001  
Project Name:  
Sample Description: KINGSTON WTP  
Sampler Project Name: RAW  
Project Site No.:

Station No.:  
Date/Time Collected: 02/09/2009 10:45  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 02/09/2009 13:50  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/10/2009				A Bass	2/10/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/10/2009
Barium	25	µg/L	2.5	5	M Pattanayek	2/10/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/10/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/10/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/10/2009
Cobalt	0.22J	µg/L	0.04	1	M Pattanayek	2/10/2009
Lead	0.45J	µg/L	0.10	1	M Pattanayek	2/10/2009
Manganese	34	µg/L	0.42	1	M Pattanayek	2/10/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/10/2009
Thallium	1.3	µg/L	0.03	1	M Pattanayek	2/10/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	2/10/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/10/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

**Lab-Sample Number:** N00004130002  
**Project Name:**  
**Sample Description:** KINGSTON WTP  
**Sampler Project Name:** FINISH  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 02/09/2009 10:50  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 02/09/2009 13:50  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/10/2009				A Bass	2/10/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/10/2009
Barium	22	µg/L	2.5	5	M Pattanayek	2/10/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/10/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/10/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/10/2009
Cobalt	0.11J	µg/L	0.04	1	M Pattanayek	2/10/2009
Lead	0.12J	µg/L	0.10	1	M Pattanayek	2/10/2009
Manganese	4.1	µg/L	0.42	1	M Pattanayek	2/10/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/10/2009
Thallium	0.45J	µg/L	0.03	1	M Pattanayek	2/10/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	2/10/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/10/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected



**Lab-Sample Number:** N00004130003  
**Project Name:**  
**Sample Description:** ROCKWOOD WTP  
**Sampler Project Name:** FINISH  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 02/09/2009 11:30  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 02/09/2009 13:50  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/10/2009				A Bass	2/10/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/10/2009
Barium	26	µg/L	2.5	5	M Pattanayek	2/10/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/10/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/10/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/10/2009
Cobalt	0.07J	µg/L	0.04	1	M Pattanayek	2/10/2009
Lead	U	µg/L	0.10	1	M Pattanayek	2/10/2009
Manganese	4.2	µg/L	0.42	1	M Pattanayek	2/10/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/10/2009
Thallium	0.26J	µg/L	0.03	1	M Pattanayek	2/10/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	2/10/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/10/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected

**Lab-Sample Number:** N00004130004  
**Project Name:**  
**Sample Description:** ROCKWOOD WTP  
**Sampler Project Name:** RAW  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 02/09/2009 11:35  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 02/09/2009 13:50  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals			METHOD: EPA 200.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	02/10/2009				A Bass	2/10/2009

TEST: ICP-MS			METHOD: EPA 200.8			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	2/10/2009
Barium	27	µg/L	2.5	5	M Pattanayek	2/10/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	2/10/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	2/10/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	2/10/2009
Cobalt	0.10J	µg/L	0.04	1	M Pattanayek	2/10/2009
Lead	0.11J	µg/L	0.10	1	M Pattanayek	2/10/2009
Manganese	18	µg/L	0.42	1	M Pattanayek	2/10/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	2/10/2009
Thallium	0.20J	µg/L	0.03	1	M Pattanayek	2/10/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	2/10/2009

TEST: Mercury			METHOD: EPA 245.1			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	2/10/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected